



artos D post




artos D65


The artos D post is characterised by a high stability and excellent seating in the ground which come from its shape and large surface area in contact with the soil.

The post is available in different sizes, thicknesses and different internal hooks.


To be able to offer solutions for all types of trellis requirements, it is possible to customise the internal hooks types for a minimum order quantity.




D65 hook



Open internal hook



Inclined internal hook



Straight internal hook



Delivery Program

Material thickness/ Weight per metre	Hot Dipped Galvanised 1,60 mm/1,75 kg 1,90 mm/2,11 kg 2,10 mm/2,35 kg	Strip Galvanised 1,50 mm/1,63 kg 1,80 mm/1,97 kg 2,00 mm/2,19 kg	Weathering Steel 1,50 mm/1,63 kg 1,80 mm/1,97 kg 2,00 mm/2,19 kg
Standard lengths	2000 - 2700 mm		
Coil width	143 mm		
Coating	Hot Dipped Galvanised (HDG), Strip Galvanised (SG), Zinc Magnesium (ZM), Weathering Steel (C-Type)		
Hook type	Internal hooks spaced at 100 mm		


Other lengths available on request

Recommended installation depth

Post length (mm)	Recommended installation depth (mm)
2000 - 2300	600
2400	650
2500	700
2600 - 2700	750 - 800



Dimension artos D-Post



Local retailer:

Sales and informations:



Vertriebsgesellschaft KG
Vor dem Schloss 27 | D-55234 Bechtolsheim

Tel +49 6733 / 9499227

E-Mail: info@artos-meiser.com
www.artos-meiser.com

Production:



Meiser Vogtland GmbH & Co. KG
Am Lehmteich 3 | D-08606 Oelsnitz

Tel +49 37421 / 50 2303 | Fax +49 37421 / 50 2310

E-Mail: info@meiser.de
www.meiser.de